

INFM 603: Information Technology and Organizational Context

Session 8: Ajax and Asynchronous Programming



Jimmy Lin
The iSchool
University of Maryland

Thursday, October 24, 2013

RideShare Exercise

- Design a database to match drivers with passengers for ride sharing on long car trips:
 - Drivers post available seats; they want to know about interested passengers
 - Passengers come looking for rides: they want to know about available rides and can make reservations
 - These things happen in no particular order
 - To simplify, passengers don't get to post "rides wanted" ads
- Build a web application to accomplish the above

RideShare Exercise: Tasks

- Design the tables you will need
 - First decide what information you need to keep track of
 - Then design tables to capture this information
- Design SQL queries
 - What happens when a passenger comes looking for a ride?
 - What happens when a driver comes to find out who the passengers are?
- Role play!

Tables

- Ride: Ride ID, Driver ID, Origin, Destination, Date, Time, Available Seats
- Passenger: Passenger ID, Name, Address, Phone Number
- Driver: Driver ID, Name, Address, Phone Number
- Booking: Ride ID, Passenger ID

Queries

- Passenger searches for a ride:
 - Join: Ride, Driver
 - Where: Origin and Destination match request, Available Seats > 0
 - Select: Name, Phone Number
- Passenger “books” a ride:
 - Assuming successful search above: decrease Available Seats by one
 - Insert row into Booking table with Ride ID and Passenger ID
- Driver ready to go: Who are my passengers?
 - Join: Ride, Passenger, Booking
 - Where: (Driver) Name, Origin, and Date match
 - Select: (Passenger) Name, Phone Number

Demo

- We're going to build the RideShare web app...
- Like, right now!

Slight Simplification

- Ride table:

- Rideld
- Driver (name)
- Phone
- Origin
- Destination
- Date
- Seats

- Booking table:

- Rideld
- Passenger (name)
- Phone

Today

- More JavaScript!
- Ajax
- JSON
- More PHP!

Synchronous vs. Asynchronous

○ Definitions

- Synchronous: happening, existing, or arising at precisely the same time
- Asynchronous: not synchronous

○ Communications

- Synchronous
- Asynchronous

○ Programming

- Synchronous
- Asynchronous



Ajax

What's Ajax?

- Asynchronous JavaScript and ~~XML~~
- The only thing you need to learn:

```
var url = "...";  
var request = new XMLHttpRequest();  
request.open("GET", url);  
request.onload = function() {  
  if (request.status == 200) {  
    //Your code here  
  }  
};  
request.send(null);
```

Get this URL

Callback function

What's at the URL?

- A static file (e.g., JSON)



```
{  
  name: "Fido",  
  weight: 40,  
  breed: "Mixed",  
  loves: ["walks", "fetching balls"]  
}
```

What's at the URL?

- An application programming interface (API)

`http://download.finance.yahoo.com/d/quotes.csv?s=GOOG&f=nsllp`



Think of this as a function call!



`argument1=value&argument2=value...`

- How do we write APIs?



Got it?