

INFM 603: Information Technology and Organizational Context

# Session 10: Information Retrieval



Jimmy Lin  
The iSchool  
University of Maryland

Thursday, November 13, 2014

# Information Retrieval



What you search for!



Satisfying an information need  
“Scratching an information itch”

User  
Process  
System  
Information

# What types of information?

- Text (documents and portions thereof)
- XML and structured documents
- Images
- Audio (sound effects, songs, etc.)
- Video
- Source code
- Applications/web services

Our focus today is on textual information...

# Types of Information Needs

## ○ Retrospective

- “Searching the past”
- Different queries posed against a static collection
- Time invariant

## ○ Prospective

- “Searching the future”
- Static query posed against a dynamic collection
- Time dependent

# Retrospective Searches (I)

- Topical search

Identify positive accomplishments of the Hubble telescope since it was launched in 1991.

Compile a list of mammals that are considered to be endangered, identify their habitat and, if possible, specify what threatens them.

- Open-ended exploration

Who makes the best chocolates?

What technologies are available for digital reference desk services?

# Retrospective Searches (II)

- Known item search

Find Jimmy Lin's homepage.

What's the ISBN number of "Modern Information Retrieval"?

- Question answering


"Factoid"	Who discovered Oxygen?
	When did Hawaii become a state?
	Where is Ayer's Rock located?
	What team won the World Series in 1992?
"List"	What countries export oil?
	Name U.S. cities that have a "Shubert" theater.
"Definition"	Who is Aaron Copland?
	What is a quasar?

# Prospective “Searches”

- Filtering
  - Make a binary decision about each incoming document
- Routing
  - Sort incoming documents into different bins




# Scope of Information Needs




# Relevance

- How well information addresses your needs
  - Harder to pin down than you think!
  - Complex function of user, task, and context
- Types of relevance:
  - Topical relevance: is it about the right thing?
  - Situational relevance: is it useful?

# The Information Retrieval Cycle



# Supporting the Search Process



Spiders, Crawlers, and Robots:  
Oh My!

# The Central Problem in Search

**Searcher**



**Concepts**



**Query Terms**

“tragic love story”

**Author**



**Concepts**



**Document Terms**

“fateful star-crossed romance”



**Do these represent the same concepts?**

Ambiguity  
Synonymy  
Polysemy  
Morphology  
Paraphrase  
Anaphora  
Pragmatics

# How do we represent documents?

- Remember: computers don't "understand" anything!
- "Bag of words" representation:
  - Break a document into words
  - Disregard order, structure, meaning, etc. of the words
  - Simple, yet effective!



# Boolean Text Retrieval

- Keep track of which documents have which terms
- Queries specify constraints on search results
  - a AND b: document must have both terms “a” and “b”
  - a OR b: document must have either term “a” or “b”
  - NOT a: document must not have term “a”
  - Boolean operators can be arbitrarily combined
- Results are not ordered!

# Index Structure

## Document 1

The quick brown fox jumped over the lazy dog's back.

## Document 2

Now is the time for all good men to come to the aid of their party.

## Stopword List

for
is
of
the
to

Term	Document 1	Document 2
aid	0	1
all	0	1
back	1	0
brown	1	0
come	0	1
dog	1	0
fox	1	0
good	0	1
jump	1	0
lazy	1	0
men	0	1
now	0	1
over	1	0
party	0	1
quick	1	0
their	0	1
time	0	1

# Boolean Searching

Term	Document							
	1	2	3	4	5	6	7	8
aid	0	0	0	1	0	0	0	1
all	0	1	0	1	0	1	0	0
back	1	0	1	0	0	0	1	0
brown	1	0	1	0	1	0	1	0
come	0	1	0	1	0	1	0	1
dog	0	0	1	0	1	0	0	0
fox	0	0	1	0	1	0	1	0
good	0	1	0	1	0	1	0	1
jump	0	0	1	0	0	0	0	0
lazy	1	0	1	0	1	0	1	0
men	0	1	0	1	0	0	0	1
now	0	1	0	0	0	1	0	1
over	1	0	1	0	1	0	1	1
party	0	0	0	0	0	1	0	1
quick	1	0	1	0	0	0	0	0
their	1	0	0	0	1	0	1	0
time	0	1	0	1	0	1	0	0

- dog AND fox
  - Doc 3, Doc 5
- dog NOT fox
  - Empty
- fox NOT dog
  - Doc 7
- dog OR fox
  - Doc 3, Doc 5, Doc 7
- good AND party
  - Doc 6, Doc 8
- good AND party NOT over
  - Doc 6

# Extensions

- Stemming (“truncation”)
  - Technique to handle morphological variations
  - Store word stems: love, loving, loves ... → lov
- Proximity operators
  - More precise versions of AND
  - Store a list of positions for each word in each document

# Why Boolean Retrieval Works

- Boolean operators approximate natural language
- AND can specify relationships between concepts
  - good party
- OR can specify alternate terminology
  - excellent party
- NOT can suppress alternate meanings
  - Democratic party

# Why Boolean Retrieval Fails

- Natural language is way more complex
- AND “discovers” nonexistent relationships
  - Terms in different paragraphs, chapters, ...
- Guessing terminology for OR is hard
  - good, nice, excellent, outstanding, awesome, ...
- Guessing terms to exclude is even harder!
  - Democratic party, party to a lawsuit, ...

# Strengths and Weaknesses

## ○ Strengths

- Precise, if you know the right strategies
- Precise, if you have an idea of what you're looking for
- Implementations are fast and efficient

## ○ Weaknesses

- Users must learn Boolean logic
- Boolean logic insufficient to capture the richness of language
- No control over size of result set: either too many hits or none
- When do you stop reading? All documents in the result set are considered “equally good”
- What about partial matches? Documents that “don't quite match” the query may be useful also

# Ranked Retrieval Paradigm

- Pure Boolean systems provide no ordering of results
  - ... but some documents are more relevant than others!
- “Best-first” ranking can be superior
  - Select  $n$  documents
  - Put them in order, with the “best” ones first
  - Display them one screen at a time
  - Users can decide when they want to stop reading

“Best-first”? Easier said than done!



## Extending Boolean retrieval:

Order results based on number of matching terms

$a \text{ AND } b \text{ AND } c$

What if multiple documents have the same number of matching terms?

What if no single document matches the query?

# Similarity-Based Queries

- Treat both documents and queries as “bags of words”
  - Assign a weight to each word
- Find the similarity between the query and each document
  - Compute similarity based on weights of the words
- Rank order the documents by similarity
  - Display documents most similar to the query first

Surprisingly, this works pretty well!

# Term Weighting

- Term weights consist of two components
  - Local: how important is the term in this doc?
  - Global: how important is the term in the collection?
- Here's the intuition:
  - Terms that appear often in a document should get high weights
  - Terms that appear in many documents should get low weights
- How do we capture this mathematically?
  - Term frequency (local)
  - Inverse document frequency (global)

# TF.IDF Term Weighting

$$w_{i,j} = \text{tf}_{i,j} \cdot \log \frac{N}{n_i}$$


$w_{i,j}$  weight assigned to term  $i$  in document  $j$

$\text{tf}_{i,j}$  number of occurrence of term  $i$  in document  $j$

$N$  number of documents in entire collection

$n_i$  number of documents with term  $i$

# The Information Retrieval Cycle



# Search Output

- What now?
  - User identifies relevant documents for “delivery”
  - User issues new query based on content of result set
- What can the system do?
  - Assist the user to identify relevant documents
  - Assist the user to identify potentially useful query terms

# Selection Interfaces

- One dimensional lists
  - What to display? title, source, date, summary, ratings, ...
  - What order to display? similarity score, date, alphabetic, ...
  - How much to display? number of hits
  - Other aids? related terms, suggested queries, ...
- Two+ dimensional displays
  - Clustering, projection, contour maps, VR
  - Navigation: jump, pan, zoom

# Query Enrichment

- Relevance feedback
  - User designates “more like this” documents
  - System adds terms from those documents to the query
- Manual reformulation
  - Initial result set leads to better understanding of the problem domain
  - New query better approximates information need
- Automatic query suggestion



# Example Interfaces

- Google
- Amazon
- Yippy
- PubMed













# Evaluating IR Systems

- User-centered strategy
  - Recruit several users
  - Observe each user working with one or more retrieval systems
  - Measure which system works the “best”
- System-centered strategy
  - Given documents, queries, and relevance judgments
  - Try several variant of the retrieval method
  - Measure which variant is more effective

# Good Effectiveness Measures

- Capture some aspect of what the user wants
- Have predictive value for other situations
- Easily replicated by other researchers
- Easily compared

# Which is the Best Rank Order?

- A.       
- B. 
- C. 
- D. 
- E. 
- F. 

 = relevant document

# Precision and Recall

	Relevant	Not relevant
Retrieved	A	B
Not retrieved	C	D

Collection size =  $A+B+C+D$

Relevant =  $A+C$

Retrieved =  $A+B$

$$\text{Precision} = A / (A+B)$$


$$\text{Recall} = A / (A+C)$$

When is precision important?

When is recall important?

# Another View

Space of all documents



# Precision and Recall


- Precision

- How much of what was found is relevant?
- Often of interest, particularly for interactive searching

- Recall

- How much of what is relevant was found?
- Particularly important for law, patents, and medicine

# Abstract Evaluation Model





# User Studies

- Goal is to account for interface issues
  - By studying the interface component
  - By studying the complete system
- Formative evaluation
  - Provide a basis for system development
- Summative evaluation
  - Designed to assess effectiveness

# Qualitative User Studies

- Direct observation
- Think-aloud protocols

# Quantitative User Studies

- Select independent variable(s)
  - E.g., what info to display in selection interface
- Select dependent variable(s)
  - E.g., time to find a known relevant document
- Run subjects in different orders
  - Average out learning and fatigue effects
- Compute statistical significance
  - Null hypothesis: independent variable has no effect

# Objective vs. Subjective Data

- Subjective self-assessment
  - Which did they think was more effective?
- Preference
  - Which interface did they prefer? Why?

Often at odds with objective measures!

# Take-Away Messages

- Search engines provide access to unstructured textual information
- Searching is fundamentally about bridging the gap between words and meaning
- Information seeking is an iterative process in which the search engine plays an important role